

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-----------------|----------------------|-------------------------|------------------|
| 09/411,407 | 09/30/1999 | THOMAS L. STACHURA | 042390.P7090 | 8269 |
| 7 | 7590 06/09/2005 | EXAMINER | | |
| ALOYSIUS T C AUYEUNG | | | MIRZA, ADNAN M | |
| C/O BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP | | | ART UNIT | PAPER NUMBER |
| 12400 WILSHIRE BOULEVARD 7TH FLOOR | | | 2145 | TATER NOMBER |
| LOS ANGELES, CA 90025 | | | DATE MAILED: 06/09/2005 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|--|--|--|--|--|--|--|
| | 09/411,407 | STACHURA ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Adnan M. Mirza | 2145 | | | | |
| The MAILING DATE of this communication app Period for Reply | I | orrespondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | i6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| Responsive to communication(s) filed on <u>08 Not</u> This action is FINAL. Since this application is in condition for allowant closed in accordance with the practice under E | action is non-final. ace except for formal matters, pro | | | | | |
| Disposition of Claims | reparte quayro, rece e.z, re | 3.5.210. | | | | |
| 4) ☐ Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or | | · | | | | |
| _ | | | | | | |
| 9)☐ The specification is objected to by the Examiner. 10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correcti | | , , | | | | |
| 11) The oath or declaration is objected to by the Ex | | • | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori | have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)). | on No ed in this National Stage | | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) | 4) Interview Summary | | | | | |
| 2) | Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | ate atent Application (PTO-152) | | | | |

ne

Art Unit: 2145

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Farrand et al (U.S. 5,309,563), and in view of Nouri et al (U.S. 6,065,053).

As per claim 1 Farrand disclosed in a client device, receiving a platform-independent alert packet containing hardware control data from an alert proxy external to a client device the alert packet further containing an event type (col.7, lines 57-65); parsing the alert packet to determine specified control operations to be performed on the client device (col. 7, lines 24-34); determining a current operating state of said client device (col. 5, lines 36-39);

However Farrand failed to disclose determining whether execution of said received control operations are permitted while said client device is in said determined operating state; executing specified control operations if said execution has been determined to be. In the same field of endeavor Nouri disclosed determining the cause of the system problem, the administrator can use micro controller network "fly by wire" capability to reset the system, as well as to power the system off or on. "fly by wire" denotes that no switch, indicator or other control is directly connected to the function it monitors or controls, but instead all the control and monitoring connections are made by the micro controller network. The remote interface or remote interface

Art Unit: 2145

board interfaces the server system to an external computer (col. 6, lines 45-65). Nouri's statement of monitoring and the control capability while the system in on and performing different functionality of control operations can be interpreted as client device is in current operating status while receiving control operations.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have incorporated determining whether execution of said received control operations are permitted while said client device is in said determined operating state; executing said received control operations if said execution has been determined to be.

- 6. As per claim 2 Farrand-Nouri disclosed wherein receiving externally provided control operations includes receiving a system reset operation (Nouri, col. 5, lines 24-26).
- 7. As per claim 3 Farrand-Nouri disclosed wherein receiving externally provided control operations includes receiving a system power operation (Nouri, col. 6, lines 36-39).
- 8. As per claim 4 Farrand-Nouri disclosed wherein said externally provided control operations are received from a server device coupled to said client device over a network (Nouri, col.5, lines 54-63).
- 9. As per claim 5 Farrand-Nouri disclosed wherein said current operating state of said client device is determined by inspecting at least one status register on said client (Nouri, col. 5, lines 31-37).

Art Unit: 2145

10. As per claim 6 Farrand-Nouri disclosed wherein said control operations are permitted while said client device is in a system hung state (Nouri, col. 13, lines 31-37).

Page 4

- 11. As per claim 7 & 16 Farrand-Nouri disclosed wherein said externally provided control operations are received via a network data packet encapsulated according to a remote management and control protocol (RMCP) (Farrand, col. 2, lines 55-61).
- As per claim 8 Farrand-Nouri disclosed An apparatus comprising: a first electronic component; a bus; a, sensor coupled to said bus and said first electronic component to sense events in said first electronic component (Nouri, col. 22, lines 32-65); and a second electronic component coupled to said bus to conditionally cause said first electronic component to perform a plurality of functions through said sensor, via said bus, responsive to control operations from a source external to the apparatus (Nouri, col. 12, lines 50-62).
- 13. As per claim 9 Farrand-Nouri disclosed wherein said first electronic component further comprises a reset pin, and wherein said second electronic component coupled to said bus conditionally causes said first electronic component to perform a reset function (Nouri, col. 15, lines 21-60).
- 14. As per claim 10 Farrand-Nouri disclosed wherein said first electronic component includes a processor (Nouri, col. 15, lines 21-60).

Application/Control Number: 09/411,407 Page 5

Art Unit: 2145

15. As per claim 11 Farrand-Nouri disclosed wherein said bus includes a system management bus (Nouri, col. 8, lines 18-23).

- 16. As per claim 12 Farrand-Nouri disclosed further comprising a network controller (Nouri, col. 8, lines 5-18).
- 17. As per claim 13 Farrand-Nouri disclosed wherein said external control operations are provided by a server device connected to said apparatus through said network controller (Nouri, col. 8, lines 5-18).
- 18. As per claim 14 Farrand-Nouri disclosed further comprising: an operating system, and a processor to execute said operating system (Nouri, col 6, lines 58-65).
- 19. As per claim 15 Farrand-Nouri disclosed wherein said second electronic component conditionally causes said first electronic component to perform said plurality of functions prior to said operating system having been executed by said processor (Nouri, col. 12, lines 50-62).

Response to Arguments

Applicant's arguments filed 11/08/2004 have been fully considered but they are not persuasive.

Applicant's arguments are as follows.

Art Unit: 2145

20. Applicant argued that prior art did not disclose a sensor coupled to the bus and the first electronic component to sense events in the first electronic component.

As to applicant's argument Nouri disclosed an exemplary message from the micro controller network table includes "temperature sensor # 5 exceeding warning threshold" (col. 22, lines 33-37). One ordinary skill in the art at the time of the invention has the knowledge that first electronic component contains micro controller where bus and sensors are the components of the micro controller. The above Nouri's disclosure can be interrupted as a sensor coupled to the bus and the first electronic component to sense events in the first electronic component.

Applicant argued that prior art did not disclose determining a current operating state of the client device and determining whether execution of the received control are permitted while the client device is in the determined operating state.

As to applicant's argument Farrand disclosed, "the computer system bus supplies certain signals to a bus monitor which will help determine the state of the computer system board (col. 5, lines 36-39)" that can interrupted as determining a current operating state of the client device. Where as Nouri disclosed determining the cause of the system problem, the administrator can use micro controller network "fly by wire" capability to reset the system, as well as to power the system off

Art Unit: 2145

or on. "fly by wire" denotes that no switch, indicator or other control is directly connected to the function it monitors or controls, but instead all the control and monitoring connections are made by the micro controller network. The remote interface or remote interface board interfaces the server system to an external computer (col. 6, lines 45-65). The monitoring and the control aspect as well as "fly by wire" capability to reset the system can be interpreted as determining whether execution of the received control are permitted while the client device is in the determined operating state.

22. Applicant argued that prior art did not disclose receiving a data packet containing hardware control data from an alert proxy external; to a client device, parsing the data packet to determine specified control operations.

As to applicant's argument Farrand disclosed once the information processing and alert determination elements 52 determine that an alert should be issued, such an alert can be issued in a number of ways. Initially it must be determined if the alert should be delivered "in-band" or "out-band". Once originated by the information processing and alert determination element, an in-band alert is directed to bus master interface and on to the network operating system and, under the control of the network management software contained in the network management agent, on to the local network manager console (col. 7, lines 24-24). One ordinary skill in the art at the time of the invention can interpreted the above statement from prior art has the means to overcome the applicant's argument.

23. Applicant argued that prior art did not disclose, "an alert packet that includes an event type and communication of a platform-independent alert packet".

As to applicant's argument Farrand disclosed, "In addition to a alert determination and generation based upon the passively monitored information, the information processing and alert determination elements also perform several other functions. More specifically, the received information is also time stamped and stored or "logged" into RAM memory for later access.

Thus in the event of catastrophic failure of the file server, the monitored and logged information will be available for "post mortem" diagnostics" (col. 7, lines 57-65).

Conclusion

24. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

- 25. Any inquiry concerning this communication or earlier communication from the examiner should be directed to Adnan Mirza whose telephone number is (571)-272-3885.
- 26. The examiner can normally be reached on Monday to Friday during normal business hours.
- 27. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Valencia Martin Wallace can be reached on (571)-272-6159. The fax for this group is (703)-746-7239.
- 28. The fax phone numbers for the organization where this application or proceeding is assigned are as follows:

(703)-746-7239 (For Status Inquiries, Informal or Draft Communications, please label "PROPOSED" or "DRAFT");

(703)-746-7239 (For Official Communications Intended for entry, please mark "EXPEDITED PROCEDURE"), 703)-746-7238 (For After Final Communications).

Art Unit: 2145

Page 10

29. Any Inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703)-305-3900.

Any response to a final action should be mailed to:

BOX AF

Commissioner of Patents and Trademarks Washington, D.C.20231

Or faxed to:

Hand-delivered responses should be brought to 4th Floor Receptionist, Crystal Park II, 2021 Crystal Drive, Arlington, VA 22202.

KM

Adnan Mirza

Examiner

D. Martin-Wallace
BVISORY PATENT EXAMINER